



This is the print version of the [Skeptical Science](http://sks.to/volcanodrop) article '[A drop in volcanic activity caused warming](http://sks.to/volcanodrop)', which can be found at <http://sks.to/volcanodrop>.

How do volcanoes drive climate?

What The Science Says:

A drop of volcanic activity in the early 20th century may have had a warming effect. However, volcanoes have had very little impact on the last 40 years of global warming.

Climate Myth: A drop in volcanic activity caused warming

"There is no question the Earth has been warming; it is coming out of the 'Little Ice Age'. However, there is no credible evidence that it is due to mankind and carbon dioxide. We've been coming out of a Little Ice Age for 300 years. We have not been making very much carbon dioxide for 300 years. It's been warming up for a long time. The Little Ice Age was driven by volcanic activity. That settled down, so it is getting warmer" ([Reid Bryson](#))

Volcanoes emit sulfate aerosols which reflect incoming sunlight, cooling the planet. A large volcanic eruption such as the Pinatubo eruption in 1991 can have a global cooling effect of 0.1°–0.3°C for several years ([Robock 1994](#), [Zielinski 2000](#)).

However, mega-eruptions or a series of eruptions can have a cooling effect that take decades to wear off, giving a perceived warming effect. [Zielinski 2000](#) studies past volcanoes, particularly over the past few centuries:




Figure 1: Perturbations in the mean annual optical depth from volcanic eruptions

Zielinski concluded "the lack of any climatically effective volcanism in the period 1920s to early 1950s undoubtedly contributed to the overall warm conditions during those decades." ([Zielinski 2000](#)).

This is confirmed by [Hegerl 2003](#) who found:

"early 20th century warming is attributed to a composite of greenhouse warming, an uncertain contribution from solar forcing, and a recovery from a previous period of heavy volcanism"

Similarly, [Bertrand et al. 1999](#) found:

"the lack of volcanism during the period 1925-1960 could account, at least partly, for the observed warming trend in this period". Bertrand was investigating the effect of solar and volcanic influence on climate and concluded "these are clearly not sufficient to explain the observed 20th century warming and more specifically the warming trend which started at the beginning of the 1970s".

In short, a lack of volcanic activity had some part in temperature rise over the first half of the 20th century. However, it has played little part in the modern global warming trend that began in the 1970s. [Foster and Rahmstorf \(2011\)](#) used a multiple linear regression approach to filter out the effects of volcanic and solar activity, and the El Niño Southern Oscillation (ENSO). They found that volcanic activity, as measured by aerosol optical thickness data (AOD) has only caused between 0.02 and 0.04°C per decade warming from 1979 through 2010 (Table 1, Figure 2), or about 0.06 to 0.12°C warming of the surface and lower troposphere, respectively, since 1979 (out of approximately 0.5°C observed surface warming).

Table 1: Trends in °C/decade of the signal components due to MEI, AOD and TSI in the regression of global temperature, for each of the five temperature records from 1979 to 2010.

	MEI	AOD	TSI
GISS	-0.014	0.025	-0.014
NCDC	-0.014	0.019	-0.017
CRU	-0.015	0.020	-0.019
RSS	-0.022	0.038	-0.023
UAH	-0.023	0.041	-0.018




Figure 2: Influence of exogenous factors on global temperature for GISS (blue) and RSS data (red). (a) MEI; (b) AOD; (c) TSI.

Like Foster and Rahmstorf, [Lean and Rind \(2008\)](#) performed a multiple linear regression on the temperature data, and found that although volcanic activity can account for about 10% of the observed global warming from 1979 to 2005, between 1889 and 2006 volcanic activity had a small net cooling effect on global temperatures. Thus volcanoes have not caused the long-term global warming over the past century, and can explain only a small fraction of the warming over the past 25 years.

[A number of studies have used a variety of statistical and physical approaches](#) to determine the contribution of greenhouse gases and other effects to the observed global warming, like Foster & Rahmstorf and Lean &

Rind. And like those studies, they find that volcanoes have had a relatively small contribution to global warming, and in fact, likely have had a net cooling effect over the past 50-65 years (Figure 3).




Figure 3: Volcanic contribution to global warming according to various peer-reviewed attribution studies



The Skeptical Science website by [Skeptical Science](#) is licensed under a [Creative Commons Attribution 3.0 Unported License](#).





Skeptical Science explains the science of global warming and examines climate misinformation through the lens of peer-reviewed research. The website won the Australian Museum 2011 Eureka Prize for the Advancement of Climate Change Knowledge. Members of the Skeptical Science team have authored peer-reviewed papers, a [college textbook on climate change](#) and the book [Climate Change Denial: Heads in the Sand](#). Skeptical Science content has been used in university courses, textbooks, government reports on climate change, television documentaries and numerous books.



The [Skeptical Science](#) website by Skeptical Science is licensed under a Creative Commons [Attribution 3.0 Unported License](#).