



This is the print version of the [Skeptical Science](#) article '[CERN CLOUD experiment proved cosmic rays are causing global warming](#)', which can be found at <http://sks.to/CERN>.

What do the CERN experiments tell us about global warming?

What The Science Says:

The CERN experiment only tested one-third of one out of four requirements to blame global warming on cosmic rays. At least two of the other requirements (strengthening solar magnetic field, fewer cosmic rays reaching Earth) have not been met over the past 50 years. The lead scientist in the CERN CLOUD experiment explicitly stated that the experiment "actually says nothing about a possible cosmic-ray effect on clouds and climate." Many other studies have concluded that cosmic rays play a minor role in cloud formation, and have not contributed in any significant way to the global warming over the past 50 years.

Climate Myth: CERN CLOUD experiment proved cosmic rays are causing global warming

"The new [CERN] findings point to cosmic rays and the sun — not human activities — as the dominant controller of climate on Earth...CERN, and the Danes, have in all likelihood found the path to the Holy Grail of climate science" [[Lawrence Solomon](#)]

Clouded "Reporting"

Many climate "skeptics" have claimed that [CLOUD](#) at [CERN](#) has "proven that cosmic rays drive climate change", or something to that effect. Unfortunately for "skeptics" (and if we don't reign in greenhouse emissions, everyone else), it's not true. While cosmic rays may have some influence on cloud formation, they are not responsible for the present, human-driven climatic change or alleged changes in the geologic past.

What's the deal?

Although seemingly out of fashion for a while until recently, the "cosmic rays are driving climate" myth has long been [one of the mainstays of the self-contradictory climate "skeptic" argument stable](#) and it's something covered fairly often at [The Way Things Break](#) (previous posts [here](#), [here](#), [here](#), [here](#), [here](#), and [here](#)). And as with any good falsehood, it starts with a kernel of truth.

It is completely accepted in mainstream science that [galactic cosmic rays](#) (GCRs) might be able to influence the nucleation process of potential cloud condensation nuclei (CCN), and that it's conceivable that this could influence cloud behavior at some level. As [the IPCC AR4 noted](#),

"By altering the population of CCN and hence microphysical cloud properties (droplet number and concentration), cosmic rays may also induce processes analogous to the indirect effect of tropospheric aerosols. The presence of ions, such as produced by cosmic rays, is recognised as influencing several microphysical mechanisms (Harrison and Carslaw, 2003). Aerosols may nucleate preferentially on atmospheric cluster ions. In the case of low gas-phase sulphuric acid concentrations, ion-induced nucleation may dominate over binary sulphuric acid-water nucleation."

While a plausible mechanism exists, real world verifications are necessarily difficult to undertake. The CLOUD project at CERN is seeking to do exactly that. The "skeptic" and right wing blogospheres are abuzz because Jasper Kirkby, et al. have just published the first results in Nature ([Kirkby 2011](#)).

[RealClimate has a good rundown](#) of what Kirkby et al.'s results do and do not mean. The short version is

that Kirkby et al. do find increased aerosol nucleation under increased ionization (i.e. “more cosmic rays”), particularly in the mid-troposphere, but the effect is smaller at warmer, lower levels where the cosmic ray-climate myth proponents claim it has its greatest climatic effect. Lead author Jasper Kirkby has tried to set the record straight, stating (emphasis added):

“[The paper] **actually says nothing about a possible cosmic-ray effect on clouds and climate**, but it’s a very important first step.”

More recently, in May 2013 [Kirkby reiterated this point](#).

“At the present time we can not say whether cosmic rays affect the climate”

While the CLOUD results provide some confirmation of the potential mechanism by which GCRs might induce cloud nucleation, **they in no way demonstrate that GCRs do significantly promote cloud formation in the real world, let alone support the myth that GCRs drive significant climatic change.**

This point was driven home by Erlykin et al. (2013), who examined the preliminary CLOUD results in the context of climate change. The authors found:

Taken at face value the CLOUD results would indicate an increase in nucleation rate of about 3 orders of magnitude in going from the equator to a latitude of 80. Even allowing for various reductions due to ‘sinks’ (Kirkby 2012, private communication), a big change should surely follow.

A search for the latitude dependence of the [cosmic ray, low cloud] correlation, or the related dependence on the [cosmic ray] vertical rigidity cut-off (VRCO), gave negative results (Sloan and Wolfendale 2008), and indeed, this was one of the first demonstrations of the lack of a genuine [cosmic ray, low cloud] correlation. A latitude dependence of the correlation was not detected at any altitude, in fact. Thus, the expected big change with latitude for H₂SO₄ nucleation anywhere is not observed.

“But wait!” I’m sure some of you may be thinking, “the CLOUD results themselves don’t *disprove* GCRs drive significant climatic changes.” And that’s true enough.

How Do We Know That Cosmic Rays Aren’t Driving Significant Climatic Change?

In reference to the present anthropogenic climatic changes that we’re driving through alteration of the planetary energy balance notably through greenhouse gas emissions, we can theorize what certain “fingerprints” of enhanced greenhouse warming should look like, and examine observational data to see whether those fingerprints show up. [And they do](#).

Moreover, we can examine the claims made by Svensmark, Shaviv, and others who proclaim GCRs drive climate and see whether or not they hold up. **They don’t.**

We can look at the paleoclimatic record during periods of significant changes in GCR activity, and there is no corresponding change in climate, e.g. the Laschamp excursion ~40kya ([Muscheler 2005](#)).

We can examine the change in GCRs in response to solar variability over recent decades or the course of a solar cycle, and find there is no or little corresponding change in climate ([Lockwood 2007](#), [Lockwood 2008](#), [Kulmala 2010](#)).

We can look at alleged correlations between GCRs and climate in the geologic past due to our sun passing through galactic spiral arms, and find that these “correlations” were based on an unrealistic, overly-simplified model of spiral structure and are not valid ([Overholt 2009](#)). Standard climatic processes (like CO₂) more parsimoniously explained the climatic changes even before taking the flawed spiral model into account ([Rahmstorf 2004](#)).

We can examine the specific mechanisms by which Svensmark and others have claimed GCRs influence climate via cloud behavior and show that alleged correlations between GCRs and clouds were incorrectly calculated or insufficiently large, proposed mechanisms (e.g. Forbush decreases) are too short lived, too small in magnitude, or otherwise incapable of altering cloud behavior on a large enough scale to drive significant climatic change ([Sloan 2008](#), [Erlykin 2009](#), [Erlykin 2009a](#), [Pierce 2009](#), [Calogovic 2010](#), [Snow-Kropla 2011](#), [Erlykin 2011](#)).

Basically, what’s actually been demonstrated by Kirkby, et al. isn’t at odds with the IPCC. What is at odds

with the IPCC hasn't been demonstrated by Kirkby, et al. And the claims by Svensmark, Shaviv, and other 'GCRs drive climate' proponents have been debunked at pretty much every step of the way. GCRs may have some influence on cloud behavior, but they're not responsible for significant climatic changes now or in the geologic past.

To Be Continued?

The CLOUD project at CERN is essentially just getting started. Its preliminary findings will help aerosol modelers, and hopefully it will continue to provide useful results. After the initial furor of "skeptical" blog-spinning dies down, cosmic rays will probably find themselves falling out of favor once again. But there's no such thing as *too debunked* when it comes to myths about climate change, and there's little chance this will be the last time cosmic rays will be trotted out to claim that we don't need to reduce greenhouse gas emissions.

References:

- Calogovic, J., et al. (2010): Sudden cosmic ray decreases: No change of global cloud cover. *Geophysical Research Letters*, 37, L03802, [doi:10.1029/2009GL041327](https://doi.org/10.1029/2009GL041327).
- Erlykin, A.D., et al (2009): Solar activity and the mean global temperature. *Environmental Research Letters*, 4, 014006, [doi:10.1088/1748-9326/4/1/014006](https://doi.org/10.1088/1748-9326/4/1/014006).
- Erlykin, A.D., et al (2009a): On the correlation between cosmic ray intensity and cloud cover. *Journal of Atmospheric and Solar-Terrestrial Physics*, 71, 17-18, 1794-1806, [doi:10.1016/j.jastp.2009.06.012](https://doi.org/10.1016/j.jastp.2009.06.012).
- Erlykin, A.D., and A.W. Wolfendale (2011): Cosmic ray effects on cloud cover and their relevance to climate change. *Journal of Atmospheric and Solar-Terrestrial Physics*, 73, 13, 1681-1686, [doi:10.1016/j.jastp.2011.03.001](https://doi.org/10.1016/j.jastp.2011.03.001).
- Erlykin, A. D., T. Sloan, and A. W. Wolfendale (2013), A review of the relevance of the "CLOUD" results and other recent observations to the possible effect of cosmic rays on the terrestrial climate, *Meteorol Atmos Phys*, 1–6, doi:10.1007/s00703-013-0260-x.
- Kirkby, J., et al. (2011): Role of sulphuric acid, ammonia and galactic cosmic rays in atmospheric aerosol nucleation. *Nature*, 476, 429–433, [doi:10.1038/nature10343](https://doi.org/10.1038/nature10343).
- Kulmala, M., et al. (2010): Atmospheric data over a solar cycle: no connection between galactic cosmic rays and new particle formation. *Atmospheric Chemistry and Physics*, 10, 1885-1898, [doi:10.5194/acp-10-1885-2010](https://doi.org/10.5194/acp-10-1885-2010).
- Lockwood, M., and C. Fröhlich (2007): Recent oppositely directed trends in solar climate forcings and the global mean surface air temperature. *Proceedings of the Royal Society: A*, 463, 2447- 2460, [doi:10.1098/rspa.2007.1880](https://doi.org/10.1098/rspa.2007.1880).
- Lockwood, M., and C. Fröhlich (2008): Recent oppositely directed trends in solar climate forcings and the global mean surface air temperature. II. Different reconstructions of the total solar irradiance variation and dependence on response time scale. *Proceedings of the Royal Society: A*, 464, 1367-1385, [doi:10.1098/rspa.2007.0347](https://doi.org/10.1098/rspa.2007.0347).
- Muscheler, R., et al. (2005): Geomagnetic field intensity during the last 60,000 years based on ¹⁰Be and ³⁶Cl from the Summit ice cores and ¹⁴C. *Quaternary Science Reviews*, 24, 16-17, 1849-1860, [doi:10.1016/j.quascirev.2005.01.012](https://doi.org/10.1016/j.quascirev.2005.01.012).
- Overholt, A.C., et al. (2009): Testing the link between terrestrial climate change and galactic spiral arm transit. *The Astrophysical Journal Letters*, 705, 2, L101, [doi:10.1088/0004-637X/705/2/L101](https://doi.org/10.1088/0004-637X/705/2/L101).
- Pierce, J.R., and P.J. Adams (2009): Can cosmic rays affect cloud condensation nuclei by altering new particle formation rates? *Geophysical Research Letters*, 36, L09820, [doi:10.1029/2009GL037946](https://doi.org/10.1029/2009GL037946).
- Rahmstorf, S., et al. (2004): Cosmic Rays, Carbon Dioxide, and Climate. *Eos Transactions AGU*, 85(4), [doi:10.1029/2004EO040002](https://doi.org/10.1029/2004EO040002).
- Sloan, T., and A.W. Wolfendale (2008): Testing the proposed causal link between cosmic rays and cloud cover. *Environmental Research Letters*, 3, 024001, [doi:10.1088/1748-9326/3/2/024001](https://doi.org/10.1088/1748-9326/3/2/024001).
- Snow-Kropla, E.J., et al. (2011): Cosmic rays, aerosol formation and cloud-condensation nuclei: sensitivities to model uncertainties. *Atmospheric Chemistry and Physics*, 11, 4001-4013, [doi:10.5194/acp-11-4001-2011](https://doi.org/10.5194/acp-11-4001-2011).



The Skeptical Science website by [Skeptical Science](https://www.skepticalscience.com/) is licensed under a [Creative Commons Attribution 3.0 Unported License](https://creativecommons.org/licenses/by/3.0/).

 [SkepticalScience.com](https://www.skepticalscience.com/)



Skeptical Science explains the science of global warming and examines climate misinformation through the lens of peer-reviewed research. The website won the Australian Museum 2011 Eureka Prize for the Advancement of Climate Change Knowledge. Members of the Skeptical Science team have authored peer-reviewed papers, a [college textbook on climate change](#) and the book [Climate Change Denial: Heads in the Sand](#). Skeptical Science content has been used in university courses, textbooks, government reports on climate change, television documentaries and numerous books.



The [Skeptical Science](#) website by Skeptical Science is licensed under a Creative Commons [Attribution 3.0 Unported License](#).