



This is the print version of the [Skeptical Science](http://sks.to/urgent) article '[It's not urgent](http://sks.to/urgent)', which can be found at <http://sks.to/urgent>.

Why it's urgent we act now on climate change

What The Science Says:

A large amount of warming is delayed, and if we don't act now we could pass tipping points.

Climate Myth: It's not urgent

"There are many urgent priorities that need the attention of Congress, and it is not for me as an invited guest in your country to say what they are. Yet I can say this much: on any view, "global warming" is not one of them." ([Christopher Monckton in testimony to the US Congress](#))

Global warming is an increasingly urgent problem. The urgency isn't obvious because a large amount of warming is being delayed. But some of the latest research says if we want to keep the Earth's climate within the range humans have experienced, we must leave nearly all the remaining fossil fuels in the ground. If we do not act now we could push the climate beyond tipping points, where the situation spirals out of our control. How do we know this? And what should we do about it? Read on.


James Hansen, NASA's top climatologist and one of the first to warn greenhouse warming had been detected, set out to define dangerous human interference with climate. In 2008, his team came to the startling conclusion that the current level of atmospheric carbon dioxide (CO₂) is already in the danger zone.

Since the Industrial Revolution, atmospheric CO₂ has increased from 280 to 390 parts per million (ppm). Don't be fooled by the small number - 390 ppm is higher than CO₂ has been in millions of years. CO₂ is rising by 2 ppm per year as we continue to burn fossil fuels. To stabilise the Earth's climate, we must reduce CO₂ to the relatively safe level of 350 ppm. And we must hurry, because the task will soon be an impossible one.

The 350 target is based not on climate modeling, but on past climate change ("paleoclimate"). Hansen looked at the highly accurate ice core record of the last few hundred thousand years, sediment core data going back 65 million years, and the changes currently unfolding. He discovered that, in the long term, climate is twice as sensitive in the real world as it is in the models used by the IPCC.

The key question in climate modeling is how much global warming you get from doubling CO₂, once all climate feedbacks are taken into account. A feedback is something that amplifies or cancels out the initial effect (eg. interest is a feedback on a loan). The models include "fast feedbacks" like water vapor, clouds, and sea ice, but exclude longer-term "slow feedbacks" like melting ice sheets (an icy surface reflects more heat than a dark surface).

Both models and paleoclimate studies agree the [warming after fast feedbacks](#) is around 3°C per doubling of CO₂. Slow feedbacks have received far less attention. Paleoclimate is the only available tool to estimate them. To cut [a long story](#) short, Hansen found the slow ice sheet feedback doubles the warming predicted by climate models (ie. 6°C per CO₂ doubling).



The global climate has warmed only 0.7°C, but has not yet fully responded to our past emissions. We know this because the Earth is still gaining more heat than it is losing. There is [further warming in the pipeline](#), and Hansen’s results imply there’s a lot more than in the models. If CO₂ remains at 390 ppm long enough for the ice sheet feedback to kick in, the delayed warming would eventually reach 2°C. That would result in an Earth unlike the one on which humans evolved and a sea level rise of not one metre, not two metres, but 25 metres. Imagine waves crashing over an eight-storey building.

It’s hard to dispute this would be “dangerous” climate change. But how quickly could it happen? In the past, ice sheets took millennia to respond, though once they got moving sea level rose several metres per century. But maybe ice sheets can melt faster if CO₂ rises faster, as it is now doing. The IPCC predicted they would *grow* by 2100, but instead they are starting to shrink “[100 years ahead of schedule](#)”. Once an ice sheet begins to collapse there is no way to stop it sliding into the ocean. We would suffer centuries of encroaching shorelines. The climate change we started would proceed out of our control.

If ice sheets can melt significantly this century, then Hansen’s long-term warming has near-term policy implications. The tragedy we have set in motion can still be prevented, if we get the Earth to stop accumulating heat before slow feedbacks can kick in. To do so we must target the greatest, fastest-growing, and longest-lived climate driver: CO₂.

Under business as usual, [we are heading for up to 1,000 ppm by 2100](#), or nearly two doublings (and that’s not including [possible carbon feedbacks](#)). This would surely be an unimaginable catastrophe on any timescale. Even the mitigation scenarios governments are quarreling over are based on IPCC assessments now several years out of date. The *lowest* CO₂ target being considered is 450 ppm, which Hansen concluded would eventually melt all ice on the planet, raising sea level by 75 metres. The Earth has not been ice-free since around the time our distant ancestors split off from monkeys.

Instead of stepping on or easing off the accelerator, we need to be slamming on the brakes. We must not only slow the rise of CO₂ in the atmosphere, but reverse it. We must reduce CO₂ from 390 to 350 ppm as soon as possible. That should stop the planet’s accumulation of

heat. Stabilizing the CO₂ level will require rapidly reducing CO₂ emissions until nature can absorb carbon faster than we emit it – in practical terms, cutting emissions to near zero.


The only realistic way of getting back to 350 ppm is leaving most of the remaining fossil fuels in the ground. We must:

1) phase out coal by 2030. It is not enough to slow down coal-burning by converting it to liquid fuels, because [CO₂ stays in the atmosphere for a very long time](#). The fundamental problem is with the coal being burned at all.

2) not burn tar sands or oil shale. Their reserves are virtually untapped but thought to contain even more carbon than coal. Canada cannot keep burning them.

3) not burn the last drops of oil and gas if their reserves are on the high side. If it turns out we have already used about half, then we can safely burn the rest.

4) turn deforestation into reforestation. We'd still be left with the gargantuan task of removing CO₂ from the atmosphere. Nature can absorb some carbon, but it has limits.



It won't be easy, but with these actions CO₂ could peak around 400 ppm as early as 2025 and return to 350 ppm by century's end. I believe we can achieve this; it's primarily a question of political will. But our window of opportunity is rapidly slamming shut. Even one more decade of business as usual, and CO₂ can be expected to remain in the danger zone for a very long time.

I should point out estimating a CO₂ target from paleoclimate is fraught with uncertainties. I've had to simplify for this short article. I explain in more detail [on Skeptical Science](#), or you can [read Hansen's paper free here](#). If there is one lesson recent climate research should teach us, it is that it's a mistake to call uncertainty our friend. Arguably the most important aspect Hansen ignores, [carbon feedbacks](#), is likely to make things even worse. There is more than enough reason to heed Hansen's warning.

Right now we stand at an intersection. What we do in this decade is crucial. If we choose one path, by the end of the decade the world could be well on its way to phasing out coal. If we choose the other, we face an uncertain future in which the only certainty is a continually shifting climate. I'll leave the final word to Hansen et al, whose concluding statements were pretty strongly worded coming from a dense, technical, peer-reviewed paper:

Present policies, with continued construction of coal-fired power plants without CO₂ capture, suggest that decision-makers do not appreciate the gravity of the situation. We must begin to move now toward the era beyond fossil fuels. [...] The most difficult task, phase-out over the next 20-25 years of coal use that does not capture CO₂, is Herculean, yet feasible when compared with the efforts that went into World War II. The stakes, for all life on the planet, surpass those of any previous crisis. The greatest danger is continued ignorance and denial, which could make tragic consequences unavoidable.

Basic rebuttal written by James Wight

Update August 2015:

Here is a related lecture-video from [Denial101x - Making Sense of Climate Science Denial](#)



Skeptical Science explains the science of global warming and examines climate misinformation through the lens of peer-reviewed research. The website won the Australian Museum 2011 Eureka Prize for the Advancement of Climate Change Knowledge. Members of the Skeptical Science team have authored peer-reviewed papers, a [college textbook on climate change](#) and the book [Climate Change Denial: Heads in the Sand](#). Skeptical Science content has been used in university courses, textbooks, government reports on climate change, television documentaries and numerous books.



The [Skeptical Science](#) website by Skeptical Science is licensed under a Creative Commons [Attribution 3.0 Unported License](#).