



This is the print version of the [Skeptical Science](http://sks.to/weather) article '[Scientists can't even predict weather](http://sks.to/weather)', which can be found at <http://sks.to/weather>.

The difference between weather and climate

What The Science Says:

Weather is chaotic, making prediction difficult. However, climate takes a long term view, averaging weather out over time. This removes the chaotic element, enabling climate models to successfully predict future climate change.

Climate Myth: Scientists can't even predict weather

...Since modern computer models cannot with any certainty predict the weather two weeks from now, how can we rely upon computer models to predict what the Earth's climate might be like a hundred years from now? They can't! Yet people like Al "Carbon-Credit" Gore want you to believe that these models can predict the future. I bet I can do at least as well with a crystal ball (source: [Kowabunga](#))

This argument betrays a misunderstanding of the difference between weather, which is chaotic and unpredictable and climate which is weather averaged out over time. While you can't predict with certainty whether a coin will land heads or tails, you can predict the statistical results of a large number of coin tosses. Or expressing that in weather terms, you can't predict the exact route a storm will take but the average temperature and precipitation will result the same for the region over a period of time.

Climate prediction is a difficult and ever refining art. There's the problem that future behaviour of the sun is very difficult to predict. Similarly, short term perturbations like El Nino or volcanic eruptions are difficult to model. Nevertheless, climate scientists have a handle on the major drivers of climate.

James Hansen's 1988 climate predictions

Way back in 1988, James Hansen projected future temperature trends ([Hansen 1988](#)). Those initial projections show remarkable agreement with observation right to present day ([Hansen 2006](#)). Hansen even speculated on a volcanic eruption in 1995 but missed the date by a few years (we'll cut him some slack there).

Annual Mean Global Temperature Change: ΔT_s ($^{\circ}\text{C}$)




Figure 1: Hansen's model projections (green, blue, purple) compared to observations (red and black).

Hansen's Scenario B (described as the most likely option and in hindsight, the one that most closely matched the level of CO₂ emissions) shows close correlation with observed temperatures. In fact, Hansen overestimated future CO₂ levels by 5 to 10% so if his model was given the correct forcing levels, the match would be even closer. There are deviations from year to year but this is to be expected. The chaotic nature of weather will add noise to the signal but the overall trend is predictable.

Modelling the aftermath of the Mount Pinatubo volcanic eruption

When Mount Pinatubo erupted in 1991, it provided the opportunity to test how successfully models could predict the climate response to the sulfate aerosol injected into the atmosphere. The models accurately forecast the subsequent global cooling of about 0.5 $^{\circ}\text{C}$ soon after the eruption. Furthermore, the radiative, water-vapor, and dynamical feedbacks included in the models were also quantitatively verified ([Hansen 2007](#)).




Figure 2: Observed and simulated global temperature change during Pinatubo eruption. Green

is observed temperature by weather stations. Blue is land and ocean temperature. Red is mean model output ([Hansen 2007](#)).

Comparing IPCC projections to observations

[Recent Climate Observations Compared to Projections \(Rahmstorf 2007\)](#) compared 2001 IPCC projections of global temperature change (coloured dotted lines) with observations from HadCRUT (blue) and NASA GISS data (red). The thin lines are the observed yearly average. The solid lines are the long term trends, which filter out short term weather fluctuations.




Figure 3:

courtesy of [Tamino](#): Solid blue and red lines are trends from GISS and HadCRU data, dashed lines are IPCC projections.

It's immediately apparent the IPCC underestimated temperature rise with observations warmer than all projections (but inside the grey uncertainty area). The paper proposes several possible reasons for the difference. One is intrinsic internal variability which is possible over such a short period. Another candidate is climate forcings other than CO₂ such as aerosol cooling being smaller than expected.

A third candidate is an underestimation of climate sensitivity. The IPCC assumed a climate sensitivity of 3°C with an uncertainty range between 1.7° to 4.2°C (this is indicated in the grey area of Figure 2). However, there are a number of [positive feedbacks in the climate system](#) that are poorly understood and hence not given much influence in IPCC models. Add to this the fact that [model uncertainty is inherently skewed towards greater sensitivity](#). My guess is higher climate sensitivity is part of the story but not all. [More on IPCC's 2001 projections...](#)

Other results successfully predicted and reconstructed by models

- Cooling of the stratosphere
- Warming of the lower, mid, and upper troposphere
- Warming of ocean surface waters ([Cane 1997](#))
- Trends in ocean heat content ([Hansen 2005](#))
- An energy imbalance between incoming sunlight and outgoing infrared radiation ([Hansen 2005](#))
- Amplification of warming trends in the Arctic region ([NASA observations](#))

Intermediate rebuttal written by John Cook

Update July 2015:

Here is a related lecture-video from [Denial101x - Making Sense of Climate Science Denial](#)



Skeptical Science explains the science of global warming and examines climate misinformation through the lens of peer-reviewed research. The website won the Australian Museum 2011 Eureka Prize for the Advancement of Climate Change Knowledge. Members of the Skeptical Science team have authored peer-reviewed papers, a [college textbook on climate change](#) and the book [Climate Change Denial: Heads in the Sand](#). Skeptical Science content has been used in university courses, textbooks, government reports on climate change, television documentaries and numerous books.



The [Skeptical Science](#) website by Skeptical Science is licensed under a Creative Commons [Attribution 3.0 Unported License](#).